

Intelligence Briefing

Cite this article: Thieme ML *et al.* (2021). Navigating trade-offs between dams and river conservation. *Global Sustainability* <https://doi.org/10.1017/sus.2021.15>

Received: 11 January 2021

Revised: 4 June 2021

Accepted: 7 June 2021

Key words:












water security; ecology and biodiversity; energy; policies; politics and governance; planning and design

Author for correspondence:

M.L. Thieme,

E-mail: michele.thieme@wwfus.org

Navigating trade-offs between dams and river conservation

M.L. Thieme¹ , D. Tickner² , G. Grill^{3,4} , J.P. Carvalho⁵ , M. Goichot⁶, J. Hartmann⁷, J. Higgins⁸ , B. Lehner³ , M. Mulligan⁹ , C. Nilsson^{10,11} , K. Tockner^{12,13} , C. Zarfl¹⁴  and J. Opperman¹ 

¹World Wildlife Fund, 1250 24th St. NW, Washington, DC 20037, USA; ²WWF-UK, The Living Planet Centre, Rufford House, Brewery Road, Woking, Surrey GU21 4LL, UK; ³Department of Geography, McGill University, Montreal, Québec, Canada; ⁴Confluvio Geospatial, 4808 Parc Avenue, Montreal, Québec, Canada; ⁵Energy and Resources Group, University of California – Berkeley, Berkeley, CA, USA; ⁶WWF Asia Pacific, 3/1 Thanh Thai Street, Ward 14, District 10, HCMC, Ho Chi Minh, Viet Nam; ⁷Sustainable Water and Energy, LLC, Estes Park, CO, USA; ⁸The Nature Conservancy, Evanston, IL, USA; ⁹Department of Geography, King's College London, Bush House (NE), 40 Aldwych, London WC2B 4BG, UK; ¹⁰Department of Ecology and Environmental Science, Umeå University, Umeå, Sweden; ¹¹Department of Wildlife, Fish and Environmental Studies, Swedish University of Agricultural Sciences, Umeå, Sweden; ¹²Senckenberg Gesellschaft für Naturforschung, 60325 Frankfurt, Germany; ¹³Faculty of Biological Sciences, Goethe-Universität, 60438 Frankfurt, Germany and ¹⁴Center for Applied Geoscience, Eberhard Karls University of Tübingen, Tübingen, Germany

Non-technical summary. There has been a long history of conflicts, studies, and debate over how to both protect rivers and develop them sustainably. With a pause in new developments caused by the global pandemic, anticipated further implementation of the Paris Agreement and high-level global climate and biodiversity meetings in 2021, now is an opportune moment to consider the current trajectory of development and policy options for reconciling dams with freshwater system health.

Technical summary. We calculate potential loss of free-flowing rivers (FFRs) if proposed hydropower projects are built globally. Over 260,000 km of rivers, including Amazon, Congo, Irrawaddy, and Salween mainstem rivers, would lose free-flowing status if all dams were built. We propose a set of tested and proven solutions to navigate trade-offs associated with river conservation and dam development. These solution pathways are framed within the mitigation hierarchy and include (1) **avoidance** through either formal river protection or through exploration of alternative development options; (2) **minimization** of impacts through strategic or system-scale planning or re-regulation of downstream flows; (3) **restoration** of rivers through dam removal; and (4) mitigation of dam impacts through biodiversity **offsets** that include restoration and protection of FFRs. A series of examples illustrate how avoiding or reducing impacts on rivers is possible – particularly when implemented at a system scale – and can be achieved while maintaining or expanding benefits for climate resilience, water, food, and energy security.

Social media summary. Policy solutions and development pathways exist to navigate trade-offs to meet climate resilience, water, food, and energy security goals while safeguarding FFRs.

Rivers are among the world's most important ecosystems, sustaining biodiversity and providing countless services, including some of the largest fisheries globally. They link vast landscapes through the delivery of water, sediment, organisms, and nutrients to floodplains, deltas, and coastal regions, benefiting billions of people (Lynch *et al.*, 2016). The ability of rivers to sustain biodiversity and deliver many ecosystem services is governed by the degree to which their natural flow regime and connectivity are maintained. Defining free-flowing rivers (FFRs) as page 216: 'rivers where ecosystem functions and services are largely unaffected by changes to fluvial connectivity,' Grill *et al.* (2019) mapped river connectivity across the globe. Fluvial connectivity is defined to extend in four dimensions: longitudinally (up- and downstream in the river channel), laterally (between main channel, floodplain, and riparian areas), vertically (between groundwater, river, and atmosphere) and temporally (natural flows that include seasonal variations, transport of sediment, and other organic materials) (Grill *et al.*, 2019). They found that river connectivity has declined dramatically and that long FFRs (>1,000 km) are rare outside of the Arctic region and Amazon and Congo Basins.

Reconciling dams with freshwater system health remains one of the world's greatest conservation challenges and is fundamental to the maintenance and recovery of freshwater biodiversity and vital ecosystem services (Tickner *et al.*, 2020b). There has been a long history of conflicts, studies, and debate over how to both protect rivers and develop them sustainably. The World Commission on Dams (2000) brought together diverse perspectives and

stakeholders to advance the dialogue, and while the political, economic, and social context has evolved since then and some progress has been made, the debate has continued (Schulz & Adams, 2019). Dam construction during the past century is the primary cause of decline in river connectivity and number of FFRs (Grill *et al.*, 2019). Worldwide, there are an estimated >58,000 large dams (ICOLD, 2017). Data on smaller dams and barriers are scarce, but likely amount to several millions (Couto & Olden, 2018; Lehner *et al.*, 2011). Dams and associated reservoirs have historically been a cornerstone of economic development in numerous countries, and they provide many benefits – including water supply for human populations and irrigated agriculture, flood risk reduction, and hydropower production. However, dams also fragment rivers, inundate habitat, disrupt sediment and nutrient transport, alter flow regimes, and block migration and dispersal routes for numerous species and can be a source of social and geopolitical conflict. Alterations of water and sediment flows can affect the shape of river beds, which can in turn trigger increased vulnerability to floods and droughts, especially in densely populated large tropical deltas (Edmonds *et al.*, 2020). While hydropower dams are also often seen as a low-carbon source of energy, concerns have been raised about their greenhouse gas emissions, particularly in the tropics (Abril *et al.*, 2005; de Faria *et al.*, 2015; Keller *et al.*, 2021). The proliferation of dams has been a major factor in the continuing decline of aquatic biodiversity and inland fisheries, and has worsened the sinking of deltas, which host half of the world’s megacities, and erosion of river banks and coasts due to upstream sediment retention (Anthony *et al.*, 2015; Dias *et al.*, 2017). An estimated 40–80 million people have been directly displaced by dams and a potentially even higher number of river-dependent people have been impacted downstream of dams by changes to flow patterns, floodplain agriculture, and fisheries (Richter *et al.*, 2010; World Commission on Dams, 2000). Recent trends, suggest that dam development is slowing (IEA, 2020). The unfolding economic crisis resulting from the coronavirus pandemic is likely to further perpetuate this trend at least in the near term. The current situation provides an opening to rethink future and existing dams and ensure that the full suite of development options and trade-offs across energy, food, water, and ecosystems are better considered.

1. An uncertain future for rivers

Countries that ratified the sustainable development goals (SDGs) and the Convention on Biological Diversity have committed to halting global declines in freshwater biodiversity and ecosystem services. This effort requires policy and management solutions that balance a range of resource management objectives (water supply, irrigation, and energy) with climate resilience and ecosystem conservation and restoration. Recognizing that all water and energy development options have some level of social and environmental impact, achieving this balance necessitates more strategic decision-making that fully considers the long-term costs and benefits across a range of possible development or management scenarios. In many parts of the world, planning processes and social and environmental impact assessments for dams have been largely performed at the individual project level (Hanna *et al.*, 2014; Vanclay, 2020). Recognizing the limitations of this approach, strategic or regional impact assessments have become more common (Fundingsland Tetlow & Hanusch, 2012). Even so, many regulatory frameworks do not require

assessments of the collective social and environmental impacts and trade-offs from multiple dams and associated operations. These assessments also often lack serious consideration of alternative development options that may be less impactful, or they are undertaken pro-forma to meet legislative requirements but not rigorously or with the intent of implementation (e.g. IUCN, 2019). At the same time, global climate change, energy, food and water commitments through the SDGs and the Paris Agreement may provide renewed momentum to increase dam development. While all types of dams affect river connectivity, hydropower dams are a primary threat to long FFRs and they are a critical component of energy scenario planning to meet SDG 7 while staying within climate limits (IEA, 2019; Teske, 2019; Winemiller *et al.*, 2016).

More than 1.6 M kilometers of rivers worldwide have lost their free-flowing status and only about one-third of rivers >1,000 km currently remain free-flowing (Grill *et al.*, 2019). In the absence of consistent global data for other dam types, we calculated the potential future loss of FFRs from new hydropower development alone by intersecting 3,700 under-construction and proposed hydropower dams (>1 MW) (Zarfl *et al.*, 2015) with the global river network and assessed the projected change in connectivity status. Our analysis shows that over 260,000 km of rivers, including the Amazon, Congo, Irrawaddy, and Salween mainstem rivers, would lose their free-flowing status if all these hydropower dams were built (Figure 1, Supplementary Tables S1–S3). These numbers are underestimates, as data for small dams and dams built for purposes other than hydropower are not included. Collectively, the hydropower capacity of dams proposed to be built on FFRs (1,809 dams) amounts to 212 GW, or approximately 1,114 TWh of energy generation per year (assuming a capacity factor of 60%). While there are regional variations, this level of energy generation represents less than 2% of the projected worldwide generation from renewables in 2050 necessary to maintain a global temperature increase below 1.5 °C (Teske, 2019). Thus, proposed hydropower expansion would result in significant losses of the remaining FFRs and their globally significant biodiversity and associated ecosystem services for a relatively minor contribution toward the needed increase in renewable energy capacity.

2. Solution pathways to navigate trade-offs of dams and river conservation

A better balance between economic development goals and sustaining healthy rivers and the communities that depend on them can be achieved through expansion of existing policy and finance mechanisms at national, regional and basin scales. Here, we provide five examples from basins around the world that demonstrate solution pathways to meet economic goals while maintaining a broad range of benefits from rivers. We frame this set of potential solutions within the mitigation hierarchy (avoid, minimize, restore, offset). Most of the examples provided focus on energy generation. However, similar or other innovative approaches that enhance design and management of dams for water storage for irrigation agriculture or municipal supply could be deployed.

2.1. Avoid

There are two significant mechanisms to avoid impacts to river ecosystems. These are avoidance through formal protection, and




Fig. 1. Loss of FFRs. Global river connectivity status and distribution of rivers that lose their free-flowing status between current and future dam scenarios. Current dam portfolio as well as methods to calculate connectivity status and FFRs are described in Grill et al. (2019). Dam build-out adds 3,700 hydropower dams (>1 MW capacity) (Zarfl et al., 2015). A list of rivers with status change longer than 500 km is given in Supplementary Table S3.

avoidance of immediate threats through exploration of alternative development options, including reduction of demand and nature-based solutions, which could provide less impactful options for meeting climate resilience, water, food, and energy security goals (UNEP, 2007).

2.1.1. River protections

Numerous types of protection mechanisms for high-conservation value rivers exist around the world – from inclusion of rivers within national parks to designated Ramsar sites, water resource protection areas or water reserves. Wherever rivers are designated as protected, dam construction should be avoided – although that is often not the case (Thieme et al., 2020). A widely recognized and explicit protection for rivers is the Wild and Scenic Rivers designation in the USA, which provides protection for wild, FFRs and their immediate environments with outstanding scenic, recreational, geologic, fish and wildlife, historic, cultural, or other conservation values and prohibits dam construction. As one example, the designation of the Clarks Fork of the Yellowstone River in 1990 has permanently protected the river and immediate surroundings from federally licensed dams and other development (Moir et al., 2016). System-scale planning (see below) can identify specific river basins, or portions of basins, which should be prioritized for protection and that development should avoid. In Myanmar, the recent Strategic Environmental Assessment for hydropower recommended keeping about 4,100 km of mainstem rivers connected (including the last two very long FFRs in Southeast Asia, the 1,500 km Irrawaddy, and 1,200 km Salween) and protecting 10 sub-basins, covering 24% of Myanmar (IFC et al., 2018). While not a formal declaration of river protection,

if implemented, these recommendations would effectively act to safeguard these rivers and basins from hydropower development. Policy interventions that affect entire rivers or basins, like the Myanmar example, are more effective than those focused on certain sections given the underlying value of water and sediment flows in shaping the ecology and health of the system (Acreman et al., 2020). System-wide sediment budgets and associated protections for natural sediment source areas and flows from source to sink are also critically needed (Syvitski et al., 2005; Walling, 2006).

2.1.2. Explore alternative options

Options for new energy sources are now available for many countries as costs have declined for non-hydropower renewables and battery storage over the past decade. Hydropower may be better deployed to complement and support the deployment of low-impact wind and solar. The 2,750 MW HidroAysen project in southern Chile stalled in 2012 due to citizen protests opposing damming of the Pascua and Baker FFRs and construction of a 3,000 km transmission line. The dams were cancelled, and subsequently Chilean policy enabled the installation of 2,300 MW of solar PV and 1,300 MW of wind between 2012 and 2018, equivalent to 90% of the country's incremental energy needs during this period (Comisión Nacional de Energía, 2019; Opperman et al., 2019a). While hydropower can provide dispatchable generation that can support expansion of variable renewable energy sources, governments should seize the opportunity presented by the dramatically dropping costs of wind, solar and battery storage to develop power systems that are both low carbon and low cost and with potentially lower conflicts with communities, rivers,

Table 1. Actors and their potential role

Type of actor	What can they do?
National economic and development planning agencies	<ul style="list-style-type: none"> • Include consideration of full suite of basin-level options in national level energy, agriculture, transport, river basin, and development plans • Create basin-wide sediment budgets and identify least impacting siting of dams and barriers accordingly. Also identify sections of floodplains to remain connected to play natural flood buffer and shallow ground water recharge • Incentivize development of non-hydropower renewables through regulatory and policy environments
Public and private financial institutions	<ul style="list-style-type: none"> • Create pre-planning mechanism for strategic portfolio selection and decision-making on basin-level or system-scale • Account for delays and cancellations in risk assessments due to developments on FFRs and rivers with significant ecosystem and/or socio-cultural values
Dam developers and engineering firms	<ul style="list-style-type: none"> • Incorporate basin-level information to balance trade-offs across economic, environmental, and social values • Consider natural infrastructure or gray/green alternatives to dams for water storage • Implement technical innovations that limit impacts of infrastructure on river connectivity
Water resource and basin managers/planners	<ul style="list-style-type: none"> • Invest in energy and water efficiency and pricing to reduce waste • Incorporate basin-level information to balance trade-offs across economic, environmental, and social values • Consider natural infrastructure or gray/green alternatives to dams for water storage • Guide local and regional infrastructure development and nominate candidates for dam removal • Identify candidate rivers for 'no-go' zones and protected areas
Civil society	<ul style="list-style-type: none"> • Advocate with government, investors, and developers to account for river connectivity and associated ecosystem and socio-cultural values in planning, construction, and removal of dams • Advocate for use of natural infrastructure alternatives where possible • Advocate for protection of rivers with high conservation and socio-cultural values
Conservation organizations and national environmental authorities	<ul style="list-style-type: none"> • Identify connected networks of FFRs that support delivery of ecosystem and socio-cultural services and values • Propose new or updated protected area designations and management approaches • Share information on biodiversity and FFRs with other authorities
Academia	<ul style="list-style-type: none"> • Advance our knowledge base and methods to make solid trade-off decisions • Develop technological and natural solutions to reduce socio-environmental impacts of fluvial infrastructure • Advance methods to measure/monitor the impact of dams on river ecosystems and their services

Classification of actors and their potential roles and actions toward policy solutions.

and other ecosystems (Aggarwal & O'Boyle, 2020), especially as they build back their economies post-pandemic. Solar and wind projects have also been shown to be able to generate more jobs (IRENA, 2020; Montt et al., 2018) and have lower cost overruns and delays compared to hydropower (Ansar et al., 2014; Plummer Braeckman et al., 2020).

2.2. Minimize

2.2.1. Strategic or system-scale planning

Improved outcomes are possible through strategic planning approaches that focus on a system scale, which explore alternative development scenarios and identify combinations of projects that optimize investments for multiple environmental, social, and economic benefits (e.g. electricity generation, fisheries, and tourism). Several demonstration or proof of concept examples exist. These include modeling of hydropower expansion or reoperation in the Myitnge Basin in Myanmar, the Rufiji River in Tanzania, and the Tana River in Kenya (Geressu et al., 2020; Hurford et al., 2020; TNC et al., 2016). The tools and capability exist to systematically bring these approaches into policy and investment planning processes, for example, through strategic social and environmental assessments or project preparation facilities.

2.2.2. Re-regulation of downstream flows

Much experience has been gained over the past decades in the mitigation of downstream flow alterations from dams. Options

to minimize the effects of flow alteration include environmental flow releases (with several elements that can apply to any type of dam including minimum flows, ramp up/down rules, and the release of periodic high flows) and re-regulating reservoirs (Brown et al., 2019; King & Brown, 2018; Tickner et al., 2020a). Such reservoirs are sometimes built downstream of peaking power plants to reduce rapid flow fluctuations. For example, 20 such reservoirs exist in a US hydropower database (McManamay et al., 2016). Examples from other countries include the Magat project in the Philippines, the Nam Ngiep 1 project in Laos, and the Cheves project in Peru. The most useful location for a re-regulating reservoir is at the bottom of a cascade of dams. In China, experiments with flow releases from Three Gorges Dam over a 5-year period have shown potential for partial mitigation of the decline in fish recruitment that followed construction of the dam. Continued monitoring, stakeholder engagement, and adaptive management will be critical to determine how successful mitigation has been, recognizing as well that this strategy only mitigates for changes in flow regime (Cheng et al., 2018).

2.3. Restore

2.3.1. Restoration of rivers through dam removal

Nearly 1,700 dams have been removed within the US and efforts are underway to continue this trend in the US, Europe and other regions (American Rivers, 2019). The Federal Power Act in

190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251

Section 10(a)(1) requires the U.S. Federal Energy Regulatory Commission to give ‘equal consideration’ to river conservation and recreation alongside hydropower production (FERC, 2017). For example, using this policy, two aging dams were removed, and fish passage was improved on two other dams in the Penobscot River, beginning in 2011. As a result, migratory fish access increased by approximately 2,000 km, and numbers of river herring increased from 20,000 before dam removal to nearly 2 million in 2016. Meanwhile, a system-scale planning assessment recommended equipment and operational changes at several remaining dams. These changes were made and allowed total electricity generation from the Penobscot Basin to remain equal to the level prior to dam removal (Opperman et al., 2019b). Another example of regional efforts to reintroduce river connectivity is the EU Biodiversity strategy for 2030’s goal to page 12: ‘restore at least 25,000 km of European rivers to a free-flowing state’ (European Commission, 2020).

2.4. Offset

2.4.1. Biodiversity offset

While not yet widely used for mitigation, a case study from Costa Rica provides a compelling, and replicable example for mitigation of dam impacts. A 305 MW hydropower project was completed in 2016 in the lower reach of the Reventazón River. The project was located downstream from an existing dam cascade and was expected to exacerbate declines in migratory fish species. Costa Rica’s government declared the adjacent Parismina River protected in perpetuity to ensure that river connectivity and flow on a similar river were maintained in the region. This policy guaranteed that page 59: ‘artificial modifications, including dams that would block migrations, will be prohibited and that the Parismina’s natural flow pattern and its biological integrity will be preserved or restored where required’ (IADB, 2015). A new protected area encompassing a 100 km long corridor and buffer zone was established and funding provided to manage and restore the river and adjacent buffer (Moir et al., 2016). Other recent examples include the protection and restoration of tributaries near the Chaglla project in Peru and the Nachtigal project in Cameroon (Hartmann et al., 2015).

3. Roles of different actors in deploying solution pathways

As these examples illustrate, avoiding or reducing impacts on rivers is possible – particularly when implemented at a system or regional scale – and can be achieved while maintaining or expanding benefits for water, food, and energy security. Dam financiers, developers and operators, research agencies, civil society, academia, and government ministries all have roles to play to avoid and reduce impacts on rivers (Table 1). Governance and financing mechanisms are critical now to scale-up implementation of these solutions – particularly with the opportunity presented by post-Covid economic recovery plans. Investments in wind, solar, and hydropower upgrades and flow management, along with dam removal, can contribute to economic growth and expansion of employment through power systems that are low carbon and consistent with maintaining and restoring FFRs and the values they provide (Opperman et al., 2019a). Government planning and permitting agencies need to have the mandate and capability to implement system-wide assessments, based on the mitigation hierarchy and that account for the full range of ecosystem services that FFRs provide. At the earliest

stages of planning, multiple development scenarios need to be explored for relative risks and trade-offs, including options for increasing energy and/or water-use efficiency, which can lessen the need for new infrastructure. For instance, project preparation facilities can use scenario assessments to help to identify projects that support delivery of food, water, or energy with lower financial risks and reduced negative impacts for nature and people. Analytical frameworks that assess tradeoffs across a range of stakeholder values such as energy production, cost, water storage, fisheries, irrigation, biodiversity and river transportation are already available (Hurford et al., 2014). Strategic dam upgrades and/or removal options to reconnect rivers should be considered for infrastructure systems that include aging dams with limited value, high maintenance costs, or structural failure risks. Where dam projects are ultimately developed, governance frameworks, such as free prior and informed consent (FPIC) and benefit sharing mechanisms that fund interventions to minimize, restore and offset impacts, are critical to ensure equitable outcomes for affected groups, including local communities and indigenous peoples.

4. Conclusions

Employing an early strategic approach and deploying the mitigation hierarchy within energy and water planning can avoid or reduce many negative social and environmental impacts, balance tradeoffs, enhance financial performance, and enable countries to reap the benefits of development. The examples featured here provide evidence of a variety of solutions that can contribute to meeting climate, food, and energy development goals while safeguarding FFRs to ensure a balance of benefits that rivers provide to society.

Supplementary material. The supplementary material for this article can be found at <https://doi.org/10.1017/sus.2021.15>

Acknowledgments. Funding for this study was provided in part by WWF in Washington, DC and by McGill University in Montreal, Quebec, Canada.

Author contributions. MT, DT, BL, GG, and JO conceived this paper. GG ran the analyses. MT, DT, and JO led the drafting of the paper and substantive contributions and reviews were provided by GG, JH, JPC, CN, MM, MG, CZ, KT, JH, and BL.

Conflicting interests. The authors declare that they have no conflicting interests.

Data and materials availability. The geometric dataset of the global river network and the associated attribute information for every river reach, i.e. the values of all pressure indicators as well as the main resulting indices of the study, including the connectivity and FFR status, are available from the figshare data repository at <https://doi.org/10.6084/m9.figshare.14977305> (20XX) under the CC-BY-4.0 license. The databases of dams, required to calculate some of the pressure indices, are not part of the data repository due to licensing issues, but are freely available at <http://www.globaldamwatch.org>.

References

- Abril, G., Guérin, F., Richard, S., Delmas, R., Galy-Lacaux, C., Gosse, P., Tremblay, A., Varfalvy, L., Dos Santos M. A., and Matvienko, B. (2005). Carbon dioxide and methane emissions and the carbon budget of a 10-year old tropical reservoir (Petit Saut, French Guiana). *Global Biogeochemical Cycles*, 19(4). doi: <https://doi.org/10.1029/2005GB002457>
- Acreman, M., Hughes, K. A., Arthington, A. H., Tickner, D., & Dueñas, M.-A. (2020). Protected areas and freshwater biodiversity: A novel systematic

- review distils eight lessons for effective conservation. *Conservation Letters*, 13(1), e12684. doi: 10.1111/conl.12684
- Aggarwal, S., & O'Boyle, M. (2020). Rewiring the U.S. for economic recovery; Available at <https://energyinnovation.org/wp-content/uploads/2020/06/90-Clean-By-2035-Policy-Memo.pdf>. San Francisco, CA: Energy Innovation.
- American Rivers. (2019). American Rivers dam removal database. doi:10.6084/m9.figshare.5234068.v7
- Ansar, A., Flyvbjerg, B., Budzier, A., & Lunn, D. (2014). Should we build more large dams? The actual costs of hydropower megaproject development. *Energy Policy*, 69, 43–56. doi: 10.1016/j.enpol.2013.10.069
- Anthony, E. J., Brunier, G., Besset, M., Goichot, M., Dussouillez, P., & Nguyen, V. L. (2015). Linking rapid erosion of the Mekong River delta to human activities. *Scientific Reports*, 5, 14745. doi: 10.1038/srep14745
- Brown, C., Zakaria, V., Joubert, A., Rafique, M., Murad, J., King, J., Hughes, J., Cardinale, P., and Alonzo, L. (2019). Achieving an environmentally sustainable outcome for the Gulpur hydropower project in the Poonch River Mahaseer National Park, Pakistan. *Sustainable Water Resources Management*, 5(2), 611–628. doi: 10.1007/s40899-018-0227-7
- Cheng, L., Opperman, J. J., Tickner, D., Speed, R., Guo, Q., & Chen, D. (2018). Managing the Three Gorges Dam to implement environmental flows in the Yangtze river. *Frontiers in Environmental Science*, 6(64), 1–8. doi: 10.3389/fenvs.2018.00064
- Comisión Nacional de Energía. (2019). Capacidad Instalada de Generación - Sistema Eléctrico Nacional. Retrieved February 1, 2019, from <http://datos.energiaabierta.cl/dataviews/245691/CAPAC-INSTA-DE-GENER-SEN/>.
- Couto, T. B. A., & Olden, J. D. (2018). Global proliferation of small hydropower plants – science and policy. *Frontiers in Ecology and the Environment*, 16(2), 91–100. doi: 10.1002/fee.1746
- de Faria, F. A. M., Jaramillo, P., Sawakuchi, H. O., Richey, J. E., & Barros, N. (2015). Estimating greenhouse gas emissions from future Amazonian hydroelectric reservoirs. *Environmental Research Letters*, 10(12), 124019. doi: 10.1088/1748-9326/10/12/124019
- Dias, M. S., Tedesco, P. A., Huguency, B., Jézéquel, C., Beauchard, O., Brosse, S., & Oberdorff, T. (2017). Anthropogenic stressors and riverine fish extinctions. *Ecological Indicators*, 79, 37–46. doi: <https://doi.org/10.1016/j.ecolind.2017.03.053>
- Edmonds, D. A., Caldwell, R. L., Brondizio, E. S., & Siani, S. M. O. (2020). Coastal flooding will disproportionately impact people on river deltas. *Nature Communications*, 11(1), 4741. doi: 10.1038/s41467-020-18531-4
- European Commission. (2020). *EU biodiversity strategy for 2030: Bringing nature back into our lives*. EC, pp. 22.
- FERC. (2017). *Hydropower primer: A handbook of hydropower basics* (pp. 66). Fundingsland Tetlow, M., & Hanusch, M. (2012). Strategic environmental assessment: The state of the art. *Impact Assessment and Project Appraisal*, 30(1), 15–24. doi: 10.1080/14615517.2012.666400
- Geressu, R., Siderius, C., Harou, J. J., Kashaigili, J., Pettinotti, L., & Conway, D. (2020). Assessing river basin development given water-energy-food-environment interdependencies. *Earth's Future*, 8(8), e2019EF001464. doi: 10.1029/2019ef001464
- Grill, G., Lehner, B., Thieme, M., Geenen, B., Tickner, D., Antonelli, F., Babu, S., Borrelli, P., Cheng, L., Crochetiere, H., Ehalt Macedo, H., Figueiras, R., Goichot, M., Higgins, J., Hogan, Z., Lip, B., McClain, M. E., Meng, J., Mulligan, M., and Zarfl, C. (2019). Mapping the world's free-flowing rivers. *Nature*, 569(7755), 215–221. doi: 10.1038/s41586-019-1111-9
- Hanna, P., Vanclay, F., Langdon, E. J., & Arts, J. (2014). Improving the effectiveness of impact assessment pertaining to indigenous peoples in the Brazilian environmental licensing procedure. *Environmental Impact Assessment Review*, 46, 58–67. doi: <https://doi.org/10.1016/j.eiar.2014.01.005>
- Hartmann, J., Smith, D., & Khalil, A. (2015). Official hydropower sustainability assessment: Chagalla hydropower project: International Hydropower Association.
- Hurford, A. P., Huskova, I., & Harou, J. J. (2014). Using many-objective trade-off analysis to help dams promote economic development, protect the poor and enhance ecological health. *Environmental Science & Policy*, 38, 72–86. doi: <https://doi.org/10.1016/j.envsci.2013.10.003>
- Hurford, A. P., McCartney, M. P., Harou, J. J., Dalton, J., Smith, D. M., & Odada, E. (2020). Balancing services from built and natural assets via river basin trade-off analysis. *Ecosystem Services*, 45, 101144. doi: <https://doi.org/10.1016/j.ecoser.2020.101144>
- IADB. (2015). Inter-American development bank sustainability report Washington, DC: IADB.
- ICOLD. (2017). ICOLD world register of dams. Retrieved August 2, 2017, from http://www.icold-cigb.net/GB/world_register/general_synthesis.asp.
- IEA. (2019). World energy model. <https://www.iea.org/reports/world-energy-model>. Paris: IEA.
- IEA. (2020). Hydropower. <https://www.iea.org/reports/hydropower>. Paris: IEA.
- IFC, MONREC, MOEE, & Australian Aid. (2018). *Strategic environmental assessment of the Myanmar hydropower sector* (pp. 152). IFC.
- IRENA. (2020). *Measuring the socio-economics of transition: Focus on jobs*. International Renewable Energy Agency.
- IUCN. (2019). Independent technical review of the “Strategic Environmental Assessment for the Rufiji Hydropower Project” in Selous Game Reserve World Heritage site, Tanzania. Available at: <https://portals.iucn.org/library/sites/library/files/documents/2019-044-En.pdf> (pp. 17). Gland, Switzerland: IUCN.
- Keller, P. S., Marcé, R., Obrador, B., & Koschorreck, M. (2021). Global carbon budget of reservoirs is overturned by the quantification of drawdown areas. *Nature Geoscience*, 14(6), 402–408. doi: 10.1038/s41561-021-00734-z
- King, J. M., & Brown, C. (2018). Environmental flow assessments are not realizing their potential as an aid to basin planning. *Frontiers in Environmental Science*, 6(113), 1–8. doi: 10.3389/fenvs.2018.00113
- Lehner, B., Liermann, C. R., Revenga, C., Vörösmarty, C., Fekete, B., Crouzet, P., Döll, P., Endejan, M., Frenken, K., Magome, J., Nilsson, C., Robertson, J. C., Rödel, R., Sindorf, N., and Wisser, D. (2011). High-resolution mapping of the world's reservoirs and dams for sustainable river-flow management. *Frontiers in Ecology and the Environment*, 9, 494–502.
- Lynch, A. J., Cooke, S. J., Deines, A. M., Bower, S. D., Bunnell, D. B., Cowx, I. G., Nguyen, V. M., Nohner, J., Phouthavong, K., Riley, B., Rogers, M. W., Taylor, W. W., Woelmer, W. Youn, S.-J., and Beard, T. D. (2016). The social, economic, and environmental importance of inland fish and fisheries. *Environmental Reviews*, 24(2), 115–121. doi: 10.1139/er-2015-0064
- McManamay, R. A., Oigbokie, C. O., Kao, S.-C., & Bevelhimer, M. S. (2016). Classification of US hydropower dams by their modes of operation. *River Research and Applications*, 32(7), 1450–1468. doi: 10.1002/rra.3004
- Moir, K., Thieme, M. L., & Opperman, J. (2016). *Securing a future that flows: Case studies of protection mechanisms for rivers*. World Wildlife Fund and The Nature Conservancy.
- Montt, G., Maitre, N., & Amo-Agyei, S. (2018). The transition in play: Worldwide employment trends in the electricity sector. Working paper No. 28. (pp. 33). Geneva, Switzerland: International Labor Organization.
- Opperman, J., Hartmann, J., Lambrides, M., Carvallo, J. P., Chapin, E., Baruch-Mordo, S., Eyler, B., Goichot, M., Harou, J., Hepp, J., Kammen, D., Kiesecker, J., Newssock, A., Schmitt, R., Thieme, M., Wang, A., Weatherby, C., and Weber, C. (2019a). *Connected and flowing: A renewable future for rivers, climate and people*. WWF and The Nature Conservancy.
- Opperman, J. J., Kendy, E., & Barrios, E. (2019b). Securing environmental flows through system reoperation and management: Lessons from case studies of implementation. *Frontiers in Environmental Science*, 7(104), 1–16. doi: 10.3389/fenvs.2019.00104
- Plummer Braeckman, J., Disselhoff, T., & Kirchherr, J. (2020). Cost and schedule overruns in large hydropower dams: An assessment of projects completed since 2000. *International Journal of Water Resources Development*, 36(5), 839–854. doi: 10.1080/07900627.2019.1568232
- Richter, B. D., Postel, S., Revenga, C., Scudder, T., Lehner, B., Churchill, A., & Chow, M. (2010). Lost in development's shadow: The downstream human consequences of dams. *Water Alternatives*, 3(2), 14–42.
- Schulz, C., & Adams, W. M. (2019). Debating dams: The world commission on dams 20 years on. *WIREs Water*, 6(5), e1396. doi: <https://doi.org/10.1002/wat2.1369>
- Syvitski, J. P. M., Vorosmarty, C. J., Kettner, A. J., & Green, P. (2005). Impact of humans on the flux of terrestrial sediment to the global coastal ocean. *Science (New York, N.Y.)*, 308(5720), 376–380. doi: 10.1126/science.1109454
- Teske, S. (2019). *Achieving the Paris climate agreement goals: Global and regional 100% renewable energy scenarios with non-energy GHG pathways for +1.5 °C and +2 °C*. Springer.

- Thieme, M. L., Khrystenko, D., Qin, S., Golden Kroner, R. E., Lehner, B., Pack, S., Tockner, K., Zarfl, C., Shahbol, N., and Mascia, M. B. (2020). Dams and protected areas: Quantifying the spatial and temporal extent of global dam construction within protected areas. *Conservation Letters*, 13(4), e12719. doi: 10.1111/conl.12719
- Tickner, D., Kaushal, N., Speed, R., & Tharme, R. (2020a). Implementing environmental flows: Lessons for policy and practice. *Frontiers in Environmental Science*, 8(106), 1–3. doi: 10.3389/fenvs.2020.00106
- Tickner, D., Opperman, J. J., Abell, R., Acreman, M., Arthington, A. H., Bunn, S. E., Cooke, S. J., Dalton, J., Darwall, W., Edwards, G., Harrison, I., Hughes, K., Jones, T., Leclère, D., Lynch, A. J., Leonard, P., McClain, M. E., Muruvu, D., Olden, J. D., and Young, L. (2020b). Bending the curve of global freshwater biodiversity loss: An emergency recovery plan. *BioScience*, 70(4), 330–342. doi: 10.1093/biosci/biaa002
- TNC, WWF, & University of Manchester. (2016). *Improving hydropower outcomes through system-scale planning: An example from Myanmar*. Prepared for the United Kingdom's Department for International Development.
- UNEP. (2007). *Dams and development: Relevant practices for improved decision-making. A compendium of relevant practices for improved decision-making on dams and their alternatives*. UNEP.
- Vanclay, F. (2020). Reflections on social impact assessment in the 21st century. *Impact Assessment and Project Appraisal*, 38(2), 126–131. doi: 10.1080/14615517.2019.1685807
- Walling, D. E. (2006). Human impact on land-ocean sediment transfer by the world's rivers. *Geomorphology*, 79, 192–216.
- Winemiller, K. O., McIntyre, P. B., Castello, L., Fluet-Chouinard, E., Giarrizzo, T., Nam, S., Baird, I. G., Darwall, W., Lujan, N. K., Harrison, L., Stiassny, M. L. J., Silvano, R. A. M., Fitzgerald, D. B., Pelicice, F. M., Agostinho, A. A., Gomes, L. C., Albert, J. S., Baran, E., Petrere, M., and Sáenz, L. (2016). Balancing hydropower and biodiversity in the Amazon, Congo, and Mekong. *Science (New York, N.Y.)*, 351(6269), 128–129.
- World Commission on Dams. (2000). *Dams and development: A new framework for decision-making*. Earthscan Publications Ltd.
- Zarfl, C., Lumsdon, A. E., Berlekamp, J., Tydecks, L., & Tockner, K. (2015). A global boom in hydropower dam construction. *Aquatic Sciences*, 77, 161–170.